

7
IAP7 Rec'd PCT/PTO 06 JUN 2006 2154/3754

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re application of
Fabio STRADELLA, et al.

Appln. No.: 10/542,507

Confirmation No.: 5920

Filed: February 13, 2006

For: DOSAGE INDICATOR FOR A FLUID DISPENSER DEVICE (as amended)

Docket No: Q88617

National Stage of: PCT/EP2004/000346

Group Art Unit: 3754

Examiner: Unknown

EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

A Preliminary Amendment is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment		Highest No. Previously Paid For					
All Claims	36	-	20	=	16	X	\$ 50.00	= \$800.00
Independent	3	-	3	=		X	\$200.00	= \$.00
TOTAL								= \$800.00

A check for the statutory fee of \$800.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this letter is enclosed.

06/09/2006 MKAYPAGH 00000131 10542507

01 FC:1615

800.00 OP

Respectfully submitted,

Raja Saliba
Registration No. 43,078

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Date: June 6, 2006



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q88617

Fabio STRADELLA, et al.

National Stage of: PCT/EP2004/000346

Appln. No.: 10/542,507

Group Art Unit: 3754

Confirmation No.: 5920

Examiner: Unknown

Filed: February 13, 2006

For: DOSAGE INDICATOR FOR A FLUID DISPENSER DEVICE (as amended)

PRELIMINARY AMENDMENT

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Prior to examination, please amend the above-identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS	2
REMARKS	11